



GE® Smart 30 Gallon Short Electric Water Heater Model# GE30S12BLM



- Real Capacity Get the most hot showers from the only water heater that holds a true 30 gallons of water (Compared to 30 gallon electric steel tank water heaters per DOE rated gallon capacity)
- Built-in WiFi Easily adjust temperatures, set vacation mode schedules and receive notifications with Built-in WiFi powered by SmartHQ
- Leading Performance Live comfortably with this best in class unit that delivers 60 gallons of hot water in the first hour (Measured through DOE First Hour Rating)
- Quick Recovery Two 5500W heating elements quickly increase water temperature for hot water when you need it
- Household Size Provide hot water for the whole family of 1 to 3 persons
- Anode Sensing Notifies you when your anode rod needs replacing to help extend the life of your tank
- Stainless Steel Heating Elements Ultra-durable stainless-steel heating elements resist rust and corrosion
- Inlet Tube Replenishes water from the bottom of the tank to maximize hot water delivery
- Brass Drain Valve Rust-proof construction can be counted on to provide long-lasting service
- Easy Set Up Replace your old water heater quickly and easily using standard water and electrical connections
- Digital Display Make easy, accurate adjustments at the touch of a button

FEATURES

ILAIONLO	
Control Type	Electronic with Digital Display
Height Description	Short
Fuel Type	Electric
Configuration	Short
Operating Modes	Normal Vacation
Drain Valve Type	Brass
Temperature Setting Factory Default	120° F
Sensing Anode	Yes
Product Type	Electric Electronic
WiFi Connect	Built-In
Family Size	1-3 People
Water Connection Location	Тор
Overheat Protection	Yes
Vacation Setting	Yes
Diagnostic Feedback	Yes
Temperature Setting	100-140° F Range

Have more questions? Please contact 1-800-626-2000





GE® Smart 30 Gallon Short Electric Water Heater Model# GE30S12BLM

APPROXIMATE DIMENSIONS(HxDxW)

• 41 7/8 H x 22 W

CAPACITY

• Unit Capacity - 30 Gallons

APPEARANCE

Color Appearance - Gray

WEIGHTS & DIMENSIONS

- Product Height (to top of water inlet/outlet connections) (in) 41 7/8in
- Approximate Shipping Weight (lb) 111lb
- Overall Width (in) 22in
- Overall Height (in) 41 7/8in
- Product Height (to top of unit) (in) 40 3/8in
- Net Weight (lb) 101lb
- Product Diameter (in) 22in
- Connection Sizes Water Inlet (MNPT) (null) 3/4"
- Connection Sizes Hot Water Outlet (MNPT) (null) 3 /4"

POWER / RATINGS

- Integrated Energy Factor 0.92
- Heating Electric Heater Watts 5500/5500
- Electrical Connection Direct-Wire
- Operating Water Pressure 20-125 PSI
- Volts/Hertz 240V; 60Hz
- First Hour Rate (FHR) 60 Gallons
- Voltage (MAX) 240V
- Electrical Circuit Required Dedicated 30 Amp Min.

WARRANTY

- Warranty Notes See written warranty for full details
- Parts Warranty 12-year limited
- Labor Warranty 1-year limited

CERTIFICATIONS

Claims & Certifications - California Prop 65

Have more questions? Please contact 1-800-626-2000