

Job Name/Location:

Tag #:

Date:


For:	File	Resubmit
	Approval	Other _____

PO No.:

Architect: \_\_\_\_\_ GC: \_\_\_\_\_

Engr: \_\_\_\_\_ Mech: \_\_\_\_\_

Rep: \_\_\_\_\_  
(Company) (Project Manager)



**Unit Data:**

Maximum No. of Indoor Units	1
Temperature Value*	Fahrenheit (1° Increments) / Celsius
Dimensions	4-3/4" L x 2-3/4" W x 5/8" H
Weight	0.23 lbs.

\*Temperature value depends on equipment.

**Operating Range:**


Cooling (°F DB)	54 - 86
Heating (°F WB)	54 - 86

The desired temperature range may vary depending on the temperature range set in the product.

**Communications Cabling Specifications (V-Net):**

Type	Field Supplied
Length**	164 feet
Size	22-3 AWG, twisted, stranded, unshielded

\*\*Communication cable can be extended to a maximum of 164 feet between controller and indoor unit by using field supplied cable.



1. Operation Display Panel
2. TEMP Button  
- To adjust the desired room temperature in cooling, heating, and dry mode.
3. FAN SPEED button  
- To adjust the fan speed.
4. On/Off button  
- To turn on/off the air conditioner.
5. OPER MODE button

**Standard Features:**

- Auto Operation (Single Setpoint)
- Unit Operation – On / Off
- Mode Selection – Cool / Heat / Dry / Fan
- Fan Speed Selection – SLO / LO / MED / HI
- Child Lock
- LED Indicator for unit operating status

**Notes:**

1. Available functions / features may differ based on the connected system.
2. Must follow installation instructions in the applicable LG installation manual.